



Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:58

Pause Remaining: 00:05:00

Pause

Question: 1-1 of 70 Page: 1 of 70



1 A nurse is providing education about dietary modifications to the parents of a school-age child who has glomerulonephritis. Which of the following information should the nurse include in the teaching?



- Increase the child's calcium intake.
- Decrease the child's sodium intake.
- Increase the child's intake of carbohydrates.
- Decrease the child's fat intake.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:55
Pause Remaining: 00:05:00

Pause

Question: 2-2 of 70 Page: 2 of 70



2 A nurse is providing teaching to the parents of a school-age child newly diagnosed with a seizure disorder. The nurse should teach the parents to take which of the following actions during a seizure?



- Minimize movement of the limbs.
- Insert a tongue blade between the teeth.
- Clear the area of hard objects.
- Place the child in a prone position.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:52
Pause Remaining: 00:05:00
Pause

Question: 3-3 of 70 Page: 3 of 70



3 A nurse is assessing an adolescent who has type 1 diabetes mellitus. Which of the following findings is the nurse's priority?



- HbA1c 11.5%
- Cholesterol 189 mg/dL
- Preprandial blood glucose 124 mg/dL
- Glycosuria

Next >



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:48

Pause Remaining: 00:05:00

Pause

Question: 4-4 of 70 Page: 4 of 70



4 A nurse is providing anticipatory guidance to a parent of a 1-month-old infant. The nurse should include that it is recommended to start the series of which of the following immunizations first?



- Varicella
- Measles, mumps, and rubella
- Inactivated poliovirus
- Hepatitis A

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:45
Pause Remaining: 00:05:00

Pause

Question: 5-5 of 70 Page: 5 of 70



5 A nurse is reviewing the laboratory report of a toddler who has hemolytic uremic syndrome. Which of the following findings should the nurse expect?



- Creatinine 0.3 mg/dL
- Hgb 18 g/dL
- Urine casts absent
- BUN 28 mg/dL

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:42
Pause Remaining: 00:05:00

Pause

Question: 6-6 of 70 Page: 6 of 70



6 A nurse is caring for a school-age child who is experiencing a sickle cell crisis. Which of the following actions should the nurse take?



- Administer furosemide IV twice per day.
- Apply warm compresses to the affected areas.
- Decrease the child's fluid intake.
- Initiate contact precautions.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:39
Pause Remaining: 00:05:00

Pause

Question: 7-7 of 70 Page: 7 of 70




7 A nurse is assessing a 6-month-old infant who has respiratory syncytial virus. The nurse should immediately report which of the following findings to the provider?



- Rhinorrhea
- Tachypnea
- Pharyngitis
- Coughing

Next >

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:35
Pause Remaining: 00:05:00

Pause

Question: 8-8 of 70 Page: 8 of 70



8 A nurse is planning to teach an adolescent who is lactose intolerant about dietary guidelines. Which of the following instructions should the nurse include in the teaching?



- "You can drink milk on an empty stomach."
- "You should consume flavored yogurt instead of plain yogurt."
- "You may tolerate plain milk better than chocolate milk."
- "You can replace milk with nondairy sources of calcium."

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

