



Time Remaining: 01:09:59  
Pause Remaining: 00:05:00  
[Pause](#)



Question: 1-1 of 70 Page: 1 of 70

1 A nurse is caring for a child during a tonic-clonic seizure. Which of the following actions should the nurse take? (Select all that apply.)



- Clear the area of hard objects.
- Firmly hold the child's arms to one side.
- Place a pillow under the child's head.
- Insert a tongue blade into the child's mouth.
- Loosen tight clothing around the child's neck.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:52  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 2-2 of 70 Page: 2 of 70



2 A nurse is preparing to perform a venipuncture to collect a blood sample from an infant. Which of the following restraints should the nurse plan to use for this procedure?



- Elbow
- Mitten
- Jacket
- Mummy

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:09:49  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 3-3 of 70 Page: 3 of 70



3 A nurse is teaching a parent of a preschool-age child about management of sleep terrors. Which of the following instructions should the nurse include?



- Take the child to the parent's bed to resume sleep.
- Allow the child to fall asleep with the television on.
- Remain uninvolved until the child awakens.
- Schedule professional counseling for the child.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:09:46  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 4-4 of 70 Page: 4 of 70



4 A nurse is assessing a toddler who is 8 hr postoperative following a cardiac catheterization procedure. Which of the following findings should the nurse report to the provider?



- Weak pedal pulse distal to the site
- Bilateral cool extremities
- Serum glucose 90 mg/dL
- Blood pressure 102/58 mm Hg

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:43  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 5-5 of 70 Page: 5 of 70



5 A nurse is assessing a preschool-age child who is in the immediate postoperative period following a tonsillectomy. Which of the following assessment findings is the priority?



- The child swallows frequently.
- The child refuses clear liquids.
- The child's throat pain increases.
- The child cries often.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:09:40  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 6-6 of 70 Page: 6 of 70



6 A nurse is planning care for an 8-month-old infant who has bronchiolitis. Which of the following actions should the nurse include in the plan of care?



- Use a bulb syringe to suction the nares.
- Place the infant in a room with negative-pressure airflow.
- Administer a meningococcal vaccine upon admission.
- Initiate IV antibiotic therapy.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Nursing Care of Children 2016

Time Remaining: 01:09:37  
Pause Remaining: 00:05:00  
Pause

Question: 7-7 of 70 Page: 7 of 70



7 A nurse is preparing a parents' education class about nutrition for toddlers. The nurse should identify which of the following findings as an indication of protein deficiency?



- Dry, thinning hair
- Muscle twitching
- Dental caries
- Poor skin turgor

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



